

LED 2101
LED 2102

LED 3101
LED 3102



833.72.601	833.75.601
833.72.602	833.75.602
833.72.605	833.75.605
833.72.603	833.75.603
833.72.604	833.75.604
833.72.606	833.75.606

 12 V System	 24 V System	SET	V	W	K	T _A	 mm / in
833.72.601	single	12 V	0.3 W	3000 K	-20 °C – +45 °C -4 °F – +113 °F	200 x 75 x 6 7.8 x 2.9 x 0.2	
833.72.602				4000 K			
833.72.605				27-50 K TW 2-wire			
833.72.603	5x 0.3 W		3000 K				
833.72.604			4000 K				
833.72.606			27-50 K TW 2-wire				
833.75.601	single	24 V	0.3 W	3000 K	-20 °C – +45 °C -4 °F – +113 °F		
833.75.602				4000 K			
833.75.605				27-50 K TW 2-wire			
833.75.603	5x 0.3 W		3000 K				
833.75.604			4000 K				
833.75.606			27-50 K TW 2-wire				




833.72.601 833.75.601
833.72.602 833.75.602
833.72.605 833.75.605

833.72.603 833.75.603
833.72.604 833.75.604
833.72.606 833.75.606







WARNING - THIS LUMINAIRE IS NOT SUITABLE FOR INSTALLATION IN LOCATIONS WHERE THERMAL INSULATION IS PRESENT, OR MAY REASONABLY BE EXPECTED TO BE INSTALLED IN THE FUTURE, OR WHERE THERE IS A LIKELIHOOD OF OTHER COMBUSTIBLE MATERIAL, E.G. LEAVES OR VERMIN DEBRIS, ETC. COLLECTING ON OR AROUND THE LUMINAIRE. IT IS NOT SUITABLE FOR DOMESTIC INSTALLATIONS OR INSTALLATION IN RESIDENTIAL AREAS OF NON-DOMESTIC INSTALLATIONS (RESIDENTIAL INSTITUTIONS, HOTELS, BOARDING HOUSES, HOSPITALS, ACCOMMODATION HOUSES, MOTELS, HOSTELS AND THE LIKE).



i

mm/in



732.28.266



[WS195]

HDE 24.09.2024

1



Ø 12 mm




732.28.266



[WS195]

HDE 24.09.2024

2a



2b



732.28.266

[WS195]

HDE 24.09.2024